


INDEX MAPS.
T. 16N, R. 2E. 2nd Mer.

67	6	88	5	88	4	79	3	75	2	71	1	65
	88		87		82		79		74		71	
67	7	87	8	82	9	78	10	74	11	70	12	64
	87		86		82		78		74		70	
66	18	86	17	81	16	77	15	73	14	70	13	64
	86		85		81		77		73		69	
66	19	85	20	81	21	77	22	73	23	69	24	63
	85		84		80		76		72		69	
66	30	84	29	80	28	76	27	72	26	68	25	63
	84		83		80		76		72		68	
65	31	83	32	79	33	75	34	71	35	68	36	63
	62		62		62		61		61		61	

T. 1N, R. 3E. 2nd Mer.

	95		95		95-96		94-96		94-96		94-96	
98	6	119	5	114	4	110	3	106	2	102	1	94
	119		118		113		109		106		102	
98	7	118	8	113	9	109	10	105	11	101	12	93
	118		117		112		109		105		101	
97	18	117	17	112	16	108	15	105	14	101	13	93
	116		116		112		108		104		100	
97	19	116	20	111	21	108	22	104	23	100	24	93
	115		115		111		107		104		100	
97	30	115	29	111	28	107	27	103	26	99	25	93
	114		114		110		107		103		99	
97	31	114	32	110	33	107	34	102	35	99	36	92
	91		91		91		91		92		92	

 The figures on the lines refer to the page.

61

Township N. 16 North, Range N. 2 East 2. Mer. Indiana

South Boundary var. 6° 30' E.

Nest On S. boundary of Sec. 36, T16 N. R2 E.

33.15 a Buckeye 9 mi. dist. in the line

37.00 a Creek 150 yds. wide Cr. S. E.

40.00 Set the q. Sec. post, from which
a W. Oak 20 mi. dist. bearing N 45° W 4 yds. dist. to
a Beech 6 " " " S 45° E 7 " "

44.62 a W. Oak 48 " " in the line

80.00 Set a post cor. to Secs. 35 & 36, from which
a W. Oak 21 mi. dist. bearing N 62° E 30 yds. dist. to
a W. Oak 16 " " " S 68° W 18 " "

Good farming land, Beech, Sugar, W. Oak,
Hickory, Buckeye, Walnut &c. and g. th Spruce, poplar
and Willow wood.

Nest On S. boundary of Sec. 35, T16 N. R2 E.

6.28 a Beech 24 mi. dist. in the line

40.00 Set the q. Sec. post, from which
a Sugar 20 mi. dist. bearing N 52° W 12 yds. dist. to
a Buckeye 7 " " " S 12° W 18 " "

65.10 a Hickory 16 " " in the line

71.50 a Branch 10 yds. wide Cr. S. E.

80.00 Set a post cor. to Secs. 34 & 35, T16 N. R2 E.
from which a W. Oak 20 mi. dist. bearing N 40° E 3 yds. dist. to
an Elm 6 " " " S 12° E 24 " "

Good farming land, timber as the last, and g. th Hazel &c.

Nest On S. boundary of Sec. 34, T16 N. R2 E

4.84 an Elm 25 mi. dist. in the line

40.00 Set the q. Sec. post, from which
an Ash 7 mi. dist. bearing N 15° W 11 yds. dist. to
a Elm 9 " " " N 19° W 23 " "

52.57 a Sugar 20 " " in the line

T6. N. R2 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, from which
 a W. Oak 10 in. dia. bran S 81° W 19 lbs. dist. of
 a W. Ash 6 " " " S 86° E 15 " "
 Land timber &c. same as the last, undg. th Hazel & pawpaw.

Nest On S. boundary of Sec. 33, T6. N. R2 E.
 9.37 a W. Oak 30 in. dia. in the line
 11.50 a Creek 30 lbs. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a Walnut 6 in. dia. bran S 4° W 3 lbs. dist. of
 a W. Ash 9 " " " N 4° E 8 " "
 62.97 a W. Oak 40 " " in the line
 71.50 a Branch 15 lbs. wide Course S. W.
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Blue Ash 18 in. dia. bran N 70° E 4 lbs. dist. of
 a Beech 8 " " " S 84° W 24 " "
 Good farming land Beech, Sugar, Elm, Ash, W. Oak
 Hickory, Poplar, Walnut & Lym. Aug. 24th. 1819

Nest On S. boundary of Sec. 32, T6. N. R2 E.
 40.00 Set the q. Sec. post, from which
 a Sugar 16 in. dia. bran S 5° E 3 lbs. dist. of
 a Beech 7 " " " S 15° W 10 " "
 57.60 a Hickory 12 " " in the line
 80.00 Set a post Cor. to Sec. 31 & 32, from which
 a Sugar 16 in. dia. bran N 78° E 21 lbs. dist. of
 an Elm 40 " " " S 45° W 43 " "
 Level 2^d. rate land, Beech, Sugar, Elm, Lym,
 &c. undg. th Spice, pawpaw. &c.

Nest On S. boundary of Sec. 31, T6. N. R2 E.
 18.31 a W. Ash 25 in. dia. in the line
 40.00 Set the q. Sec. post, from which

T6N R2E 2^d Mer. Indiana

a Beech 10 in. dia. bray S 61 E 9 lks. dist. of
 a Hickory 12 " " " N 56 W 11 " "
 47.03 a Beech 18 " " in the line
 71.20 Intersected the N & S. line at a post corner of
 Townships N^o. 15 & 16 N. Ranges N^o. 1 & 2 E.
 Good farming land, Beech, Sugar, Walnut, Lym, Oak,
 Hickory, &c & but little underg^d.

East Boundary var. 6.15' E.

North On E. boundary of Sec. 36, T6N. R2E.
 21.58 a W. Ash 21 in. dia. in the line
 40.00 At the q. Sec. post. from which
 a Cherry 10 in. dia. bray S 10 E 15 lks. dist. of
 a Beech 12 " " " N 27 W 26 " "
 80.00 At a post Cor. to Sec^s. 25 & 36, from which
 a Buckeye 7 in. dia. bray N 23 W 20 lks. dist. of
 a Hickory 6 " " " N 16 E 8 " "
 Land 1st rate, Sugar, Walnut, Buckeye, Hackberry
 Cherry &c. undg^d. Spice, pawpaw & grape vines

North On E. boundary of Sec. 25, T6N. R2E.
 23.25 a Lym 9 in. dia. in the line
 40.00 At the q. Sec. post. from which
 a W. Ash 18 in. dia. bray S 77 E 14 lks. dist. of
 a Sugar 12 " " " N 86 W 21 " "
 57.00 ~ ~ ~ ~ ~
 80.00 At a post Cor. to Sec^s. 24 & 25, from which
 an Elm 20 in. dia. bray N 77 W 15 lks. dist. of
 a W. Ash 8 " " " S 81 E 39 " "
 good farming land, Beech, Sugar, Elm, Oak, Hickory
 &c. undg^d. Spice Wednesday Aug. 11th 1819

North On E. boundary of Sec. 24, T6N. R2E.

T6 N. R2 E. 2nd Mer. Indiana

26.48 a W. Oak 22 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar tree 27 in. diam. bear S 56 E 15 lks. dist. of
 a Buckeye 6 " " " N 56 W 25 " "
 64.59 a Sugar tree 22 " " in the line
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a Buckeye 18 in. diam. bear N 43 W 22 lks. dist. of
 a Beech 7 " " " S 9 E 18 " "
 Good farming land, Sugar, Walnut, Elm, Buckeye
 Sycamore, underg^g. Spice &c.

North On E. boundary of Sec. 13, T6 N. R2 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 20 in. diam. bear S 29 W 10 lks. dist. of
 a Beech 8 " " " S 55 E 11 " "
 46.50 a Branch 20 lks. wide Cr. S. E.
 48.42 a Hickory 22 in. diam. in the line
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Hickory 20 in. diam. bear S 11 E 14 lks. dist. of
 an Oak 6 " " " N 30 W 3 " "
 Good farming land, Sugar, Beech, Walnut, W. Oak
 Hickory, W. Ash, Sycamore, underg^g. Spice

North On E. boundary of Sec. 12, T6 N. R2 E.
 8.68 a Walnut 30 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 18 in. diam. bear N 70 W 11 lks. dist. of
 a Do 6 " " " S 77 E 25 " "
 59.00 a Creek 50 lks. wide Cr. S. E.
 62.78 a Cherry 36 in. diam. in the line
 70.50 the same Creek above Cr. S. W.
 80.00 Set a post Cor. to Sec. 11 & 12, from which
 a Beech 21 in. diam. bear N 21 E 3 lks. dist. of

T6 N. R2 E. 2^d Mer. Indiana

*a Beech 7 in. dia. bran N48 E 21 lks. dist. &
 good farming land, timber as the last + Cherry*

North On E. boundary of Sec. 1, T6 N. R2 E.

7.00 a Branch 12 lks. wide Cr. S. E.

16.20 an Elm 30 in. dia. in the line

22.00 a Creek 40 lks. wide Cr. S. E.

40.00 Set the q. Sec. post, from which

a Dogwood 5 in. dia. bran S60 W 7 lks. dist. &

a Beech 14 " " " N51 E 27 " "

72.00 a Creek 40 lks. wide Cr. S. W.

74.82 a Poplar 42 in. dia. in the line

77.50 Intersected the line of correction 8.87 lks. West

of the q. Sec. post on the South boundary of

Sec. 36, T17 N. R2 E. - Set a post cor. to Town,

N6 N. Ranges 2 1/2 E. from which

a Beech 10 in. dia. bran N41 W 20 lks. dist. &

a Sugar 20 " " " S64 E 28 " "

Good farming land, timber Sugar, Beech, Elm

Ash, Poplar, Sycamore. Some Oak & Hickory

undergrowth, Spruce from prairie.

West Boundary var. 6° 15' E.

North On E. boundary of Sec. 36, T6 N. R1 E.

40.00 Set the q. Sec. post, from which

an Elm 22 in. dia. bran N14 W 10 lks. dist. &

an Ash 6 " " " S43 E 5 " "

54.33 a W. ash 27 " " in the line

80.00 Set a post Cor. to Sec. 25 & 36, T6 N. R1 E. from which

a Hickory 16 in. dia. bran N19 E 8 lks. dist. &

a W. ash 7 " " " N20 W 26 " "

Level 2^d rate, Beech, Sugar, Oak, Hickory,

Ash. Elm &c.

T6. N. R. 2 E. T. Mer. Indiana

North On E. boundary of Sec. 25, T6. N. R. 2 E.

40.00 Let the q. Sec. post, from which
a Poplar 30 m. dist. bear S 8 E 19 lks. dist. of
a Lym 7 " " " N 84 W 15 " "

48.73 a W. Oak 22 " " in the line

80.00 Let a post cor. to Sec. 24 & 25, T6. N. R. 2 E. from which
a Sycamore 22 m. dist. bear S 3.6 W 37 lks. dist. of
a Hickory 18 " " " N 22 E 66 " "
Level T. & state land, Beech, Sugar, Ash, Elm
Lym, Oak, Hickory &c. thick and gth. Same
timber & Spice, pawpaw &c.

North On E. boundary of Sec. 24, T6. N. R. 2 E.

26.04 a Beech 16 m. dist. in the line

40.00 Let a post, from which
an Oak 18 m. dist. bear N 21 E 20 lks. dist. of
an Ash 10 " " " S 31 W 18 " "

62.52 a Sugar 18 " " in the line

80.00 Let a post cor. to Sec. 13 & 24, T6. N. R. 2 E. from which
a Sugar 10 m. dist. bear N 77 W 18 lks. dist. of
a Beech 9 " " " S 48 E 30 " "
Good farming land, Beech, Sugar, Oak, Ash, Hickory
&c. under gth. Hazel, pawpaw & bramble

North On E. boundary of Sec. 13, T6. N. R. 2 E.

10.50 a Branch 10 lks. wide C. & E.

21.44 a W. Oak 24 m. dist. in the line

40.00 Let the q. Sec. post, from which
a Beech 18 m. dist. bear N 87 E 8 lks. dist. of
an Ironwood 8 " " " N 42 W 47 " "

57.56 an Elm 20 " " in the line

80.00 Let a post cor. to Sec. 12 & 13, T6. N. R. 2 E. from which
an Oak 6 m. dist. bear S 54 W 05 lks. dist. of

T6 N. R2 E, 2^d. Mer. Indiana

a Hickory 9 in. dia. bran N21 W 30 lbs. dist. of
Level wet land, Ash, Elm, Maple, Oak,
Hickory &c. undg.th Spice, Hazel &c.

North On E. boundary of Sec. 12, T6 N. R1 E.

3.60 a Hickory 24 in. dia. in the line

40.00 at the g. Sec. post, from which

a Beech 12 in. dia. bran S51 E 14 lbs. dist. of

an Ash 8 " " " N48 W 40 " "

75.47 an Oak 42 " " in the line

80.00 at a post Cor. to Sec. 16, 17, T6 N. R1 E, from which

a Beech 12 in. dia. bran N67 E 05 lbs. dist. of

a Walnut 25 " " " N27 W 30 " "

Level good farming land, Beech, Sugar, Elm
Walnut, Ash, Oak, Hick. undg.th Spice & Hazel

North On E. boundary of Sec. 1, T6 N. R2 E.

6.45 at Beech 18 in. dia. in the line

40.00 at the g. Sec. post, from which

a Gum 9 in. dia. bran N45 E 7 lbs. dist. of

an Elm 25 " " " N79 W 26 " "

65.56 an Elm 22 " " in the line

79.36 intersected the line of Correction 18 lbs. E. of
the g. Sec. post on the S. side of Sec. 36, T17 N.

Range 1 E. at a post Cor. to Township

T6 N. Range 16 E, from which

a Beech 10 in. dia. bran N65 E 11 lbs. dist. of

a Do 9 " " " S35 W 27 " "

good farming land, timber as fast as

Aug. 13th 1879, surveyed by John M. McDonald

Dep. Sur.

Subdivision.

T6 N R2 E. 2^d Mer. Indiana

North Between Secs. 35 & 36, T6 N R2 E.

10.42 an Elm 18 in. dia. in the line

35.00 a stream 10 lks. wide Cr. E.

40.00 Let the q. Sec. post, from which
a Beech 20 in. dia. bear N 33 W 31 lks. dist. of
a Do 12 " " " S 36 E 42 " "

50.39 a Hickory 14 " " in the line

80.00 Let a post Cor. to Secs. 25, 26, 35 & 36, from which
a Buckeye 10 in. dia. bear N 41 E 11 lks. dist. of
a Do 10 " " " S 11 W 2 " "
Land 2^d rate Oak, Beech, Ash, thick brush

East on Random between Secs. 25 & 36, T6 N R2 E.

7.50 a stream 25 lks. wide Cr. S. E.

40.00 Let temp. q. Sec. post

79.60 Intersected the N & S. line 132 lks. N. of the post
Land 1st rate, Ash, Walnut, Buckeye, Beech, &c

West on true line betw. Secs. 25 & 36, T6 N R2 E.

39.80 Let q. Sec. post at average dist. from which
an Elm 4 in. dia. bear N 43 W 2 lks. dist. of
a Buckeye 4 " " " S 56 E 10 " "

79.60 to Sec. Corner

North Between Secs. 25 & 26, T6 N R2 E.

11.50 a stream 25 lks. wide Cr. E.

25.12 a Sugar 18 in. dia. in the line

40.00 Let the q. Sec. post, from which
an Ash 3 in. dia. bear N 81 E 19 lks. dist. of
a Buckeye 4 " " " S 59 W 21 " "

42.50 an Elm — " " in the line

80.00 Let a post Cor. to Secs. 23, 24, 25 & 26, from which
a Sugar 14 in. dia. bear N 54 W 10 lks. dist. of

T6 N R2 E 2^d. Mer. Indiana

a Sugar—in. dia. bray S33E 7 lks. dist. &
Land 2^d. rate, Beech, Oak, Ash &c

East On Rand^m. between Sec^s. 24 & 25, T6 N. R2 E.
40.00 Set temp^y. of. Sec. post
79.50 Intersected the N & S. line 16 lks. S. of the post
Land 1st. rate, Oak, Walnut, Elm Oak &c.

West On true line between Sec^s. 24 & 25, T6 N. R2 E.
39.75 Set of. Sec. post at average dist. from which
a Beech 10 in. dia. bray N21E 16 lks. dist. &
a Hickory 18 " " " S23W 50 " "
79.50 to Sec. Corner

North Between Sec^s. 23 & 24, T6 N. R2 E.
8.75 a Beech 20 in. dia. in the line
40.00 Set the of. Sec. post, from which
an Ash 6 in. dia. bray N7E 14 lks. dist. &
a Beech 3 " " " S43E 4 " "
52.00 an Ash 16 " " in the line
80.00 Set a post Cor. to Sec^s. 13, 14, 23 & 24, from which
a Beech 3 in. dia. bray N49W 9 lks. dist. &
an Elm 4 " " " S53E 9 " "
Land 2^d. rate August 4th 1820

East On Rand^m. betwⁿ. Sec^s. 13 & 24, T6 N. R2 E.
40.00 Set temp^y. of. Sec. post.
79.25 Intersected the E. boundary at the post
Land 2^d. rate, Beech, Oak &c. level

West On true line between Sec^s. 13 & 24, T6 N. R2 E.
39.62 1/2 Set of. Sec. at average dist. from which
an Elm 12 in. dia. bray N72E 37 lks. dist. &

Sec. 12 E. 2nd Mer. Indiana

a Beech 12 m. dist. from S 23rd 3rd dist.
79.25 to Sec. Corner.

North Between Sec. 13 & 14, T16 N. R2 E.

23.42 a Sugar 12 m. dist. in the line
40.00 at the q. Sec. post, from which
a Beech 10 m. dist. from N 60th 27th dist. of
a Do 12 " " " S 65th E 16 " "

58.26 a Sugar 14 " " in the line

80.00 at a post cor. to Sec. 11, 12, 13 & 14, from which
a Beech 10 m. dist. from N 74th E 17th dist. of
a Do 10 " " " S 57th W 9 " "
Land 2nd rate Beech, Oak &c.

East On Rand^{om} betw^{en} Sec. 12 & 13, T16 N. R2 E.

40.00 at temp^{orary} q. Sec. post

79.25 intersected the E. boundary 28th W. of post
Land 2nd rate Beech, Oak, Hickory &c.

West On true line between Sec. 12 & 13, T16 N. R2 E.

39.62¹/₂ at q. Sec. post at average dist. from which
a Beech 14 m. dist. from S 66th E 14th dist. of
a Do 18 " " " N 77th W 4 " "

79.25 Sec. Corner.

North Between Sec. 11 & 12, T16 N. R2 E.

15.32 a Sugar 20 m. dist. in the line

40.00 at the q. Sec. post from which
a Sugar 20 m. dist. from S 88th E 47th dist. of
a Do 12 " " " S 76th W 43 " "

64.19 a Sugar 14 " " in the line

80.00 at a post cor. to Sec. 1, 2, 11 & 12, from which
a Beech 7 m. dist. from N 78th E 8th dist. of

T6 N R2 E2 Mer. Indiana

a Beech 10 in. dia. bray S83W18 lks. dist.
Land 2nd rate Beech, Oak, Hickory &c.

East On Random between Sec. 1 & 12, T6 N. R2 E.
40.00 Set temp. of Sec. post
79.60 Intersected the E. boundary 50 lks. N. of post
Land 2nd rate Beech, Oak, Sugar, Ash &c.

West On true line between Sec. 1 & 12, T6 N. R2 E.
39.80 Set of Sec. post at average dist. from which
a Sugar 12 in. dia. bray S57E17 lks. dist. of
a Walnut 20 " " " S64W40 " "
79.60 to Sec. Cor. Aug. 5th 1820

North Between Sec. 1 & 2, T6 N. R2 E.
14.93 a Beech 18 in. dia. in the line
40.00 Set the of Sec. post, from which
a hawwood 4 in. dia. bray N10W7 lks. dist. of
a W. Oak 12 " " " S16W25 " "
59.00 a Beech 19 " " in the line
77.30 Intersected the N. boundary 8.04 lks. N. of of
Sec. post, ^{on S. side 35.71 N. R2 E} Set a post Cor. to Sec. 1 & 2, from which
a Sugar 14 in. dia. bray S85E4 lks. dist. of
a Do 10 " " " N59W24 " "
* The same error exists here that did in Range
3, and I had no order to correct it
Note: The above is no error, it is as it should be. (S.M.)

North Between Sec. 34 & 35, T6 N. R2 E.
21.05 a Sugar 24 in. dia. in the line
40.00 Set the of Sec. post, from which
a Sugar 18 in. dia. bray N34E56 lks. dist. of
a Do 12 " " " S22W30 " "

T16 N. R2 E. 2nd Mer. Indiana

53.81 an Elm 14 in. diam. in the line

80.00 let a post Cor. to Sect. 26, 27, 34 & 35, from which
a Beech 12 in. diam. bear N 65 E 6 lks. dist. of
a Hickory 8 " " " S 76 W 29 " "
Land ^{best} 1st rate - 1st 1/4 mile 2nd rate

East On Rand^m betwⁿ Sect. 26 & 35, T16 N. R2 E.

40.00 let temp^y. of Sec. post

79.85 intersected the N & S. line 85 lks. S. of the post
Land 2nd rate.

West On true line between Sect. 26 & 35, T16 N. R2 E.

39.92 1/2 let of Sec. post at average dist. from which
a Sugar 14 in. diam. bear S 61 W 38 lks. dist. of
an Elm 24 " " " N 54 E 4 " "

79.85 to Sec. Corner.

North Between Sect. 26 & 27, T16 N. R2 E.

11.26 (omitted)

13.00 a stream 5 lks. wide Cr. N. E.

40.00 let the of Sec. post from which
a Beech 12 in. diam. bear N 35 E 27 lks. dist. of
a Hackberry 10 " " " S 48 W 19 " "

46.00 a Sugar 14 " " in the line

80.00 let a post Cor. to Sect. 22, 23, 26 & 27, from which
a Buckeye 18 in. diam. bear N 32 E 12 lks. dist. of
a Hickory 8 " " " S 40 W 50 " "

Land 1st rate, timber Walnut, Ash, Sugar, Beech &c
August 6th 1870

East On Random betwⁿ Sect. 23 & 26, T16 N. R2 E.

9.00 a stream 25 lks. wide Cr. S.

40.00 let temp^y. of Sec. post.

T6. N. R2 E. 2^d. Mer. Indiana

79.90 Intersected the N & S. line 20 lks. N. of the post
Land 1st rate Ash, Walnut, Sugar, Hickory &c.

West On true line between Sec. 23 & 26, T6. N. R2 E.

39.95 Set q. Sec. post at average dist. from which
a Sugar 14 in. dia. bear N 85 E 4 lks. dist. of
a Do 18 " " " S 16 W 25 " "

79.90 to Sec. Corner

North Between Sec. 22 & 23, T6. N. R2 E.

16.50 a Hackberry 14 in. dia. in the line

25.00 a Stream 25 lks. wide E. S. E.

40.00 Set the q. Sec. post. from which
an Ash 12 in. dia. bear N 32 E 35 lks. dist. of
a Sugar 12 " " " S 47 W 27 " "

58.56 an Elm 20 " " in the line

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
an Ash 16 in. dia. bear N 30 W 14 lks. dist. of
a Beech 6 " " " S 26 E 25 " "

Land 2^d rate Beech, Ash, Oak, Sugar &c

East On Random between Sec. 14 & 23, T6. N. R2 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 35 lks. N. of the post.
Land 2^d rate.

West On true line between Sec. 14 & 23, T6. N. R2 E

40.00 Set q. Sec. post at average dist. from which
a Beech 16 in. dia. bear N 36 E 14 lks. dist. of
a Do 10 " " " S 20 W 24 " "

80.00 Section Corner.

North Between Sec. 14 & 15, T6. N. R2 E. 2^d. Mer

T¹⁶N. R²E. 2^d Mer. Indiana

- 24.86 a Beech 14 in. diam. in the line
 40.00 Set the q. Sec. post. from which
 a Beech 14 in. diam. bears N 38° W 12 lks. dist. of
 a Sugar 10 " " " S 1 E 40 " "
 60.72 a Beech 12 " " in the line
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 34 in. diam. bears N 23° W 16 lks. dist. of
 a Beech 14 " " " S 52 E 22 " "
 Land 2nd rate Ash, Beech, Oak, Sugar &c.
-

- East On Rand^m. betwⁿ. Sec. 11 & 14, T¹⁶N. R²E.
 40.00 Set temp^y. q. Sec. post.
 80.08 Intersected the N & S. line 6 lks. S. of the post
 Land 2nd rate Beech, Oak Sugar &c.
-

- West On true line between Sec. 11 & 14, T¹⁶N. R²E.
 40.04 Set q. Sec. post at average dist. from which
 a Beech 8 in. diam. bears N 50° W 36 lks. dist. of
 a Do 12 " " " S 23 E 33 " "
 80.08 to Sec. Corner August 6th. 1820
-

- North Between Sec. 10 & 11, T¹⁶N. R²E.
 18.95 an Ash 14 in. diam. in the line
 40.00 Set the q. Sec. post. from which
 a Beech 6 in. diam. bears S 72 E 25 lks. dist. of
 a Do 10 " " " S 32 W 10 " "
 50.91 an Elm 20 " " in the line
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Oak 20 in. diam. bears N 80 E 31 lks. dist. of
 a Do 12 " " " S 67 W 2 " "
 Land 2nd rate Beech, Oak &c.
-

- East On Random between Sec. 2 & 11, T¹⁶N. R²E.

T6N R2E 2^d Mer. Indiana

40.00 Let temp^y. of Sec. post
 79.90 Intersected the N & S. line 51 lks. S. of the post
 Land 2^d rate Oak, Beech, Sugar, ash &c.

West On true line between Sec^s. 2 & 11, T6N R2E.
 39.95 Let of Sec. post at average dist. from which
 an Ash 12 m. dist. bear North 24 lks. dist. of
 a Do 10 " " " S 28 E 32 " "
 79.90 to Sec. Corner

North Between Sec^s. 2 & 3, T6N R2E 2^d Mer.
 27.60 a W. Oak 20 m. dist. in the line
 40.00 Let the of Sec. post, from which
 a Beech 12 m. dist. bear N 46 W 25 lks. dist. of
 a Do 20 " " " S 21 E 22 " "
 52.20 a Sugar 18 " " in the line
 77.64 Intersected the N. boundary 840 lks. N. of of Sec.
 post Let a post Cor. to Sec^s. 2 & 3, from which
 an Elm 20 m. dist. bear S 57 E 16 lks. dist. of
 a Hickory 8 " " " N 65 W 33 " "
 Land 2^d rate, Level & open woods

Com

North Between Sec^s. 33 & 34, T6N R2E 2^d Mer.
 8.87 a Sugar 14 m. dist. in the line
 40.00 Let the of Sec. post, from which
 a Beech 18 m. dist. bear N 39 E 10 lks. dist. of
 a Do 14 " " " S 36 W 35 " "
 55.15 a Beech 24 " " m. dist. in the line
 80.00 Let a post Cor. to Sec^s. 27, 28, 33 & 34, from which
 a W. Walnut 16 m. dist. bear N 26 W 20 lks. dist. of
 a Beech 18 " " " S 4 E 34 " "
 Land 2^d rate Beech, Oak, Ash, Sugar &c.

St. N. R. 2 E. 2nd Mer. Indiana

East On Random between Sec. 27 & 34, T16 N. R2 E.

40.00 Set temp. q. Sec. post

79.94 Intersected the N & S. line 15 lks. N. of post
Land 2nd rate, Beech, Oak, Hickory &c.

West On true line between Sec. 27 & 34, T16 N. R2 E.

39.97 Set q. Sec. post at average dist. from which
a Beech 14 in. dia. bray N 53° W 4 lks. dist. of
a do 12 " " " N 49° E 15 " "

79.94 to Sec. Cor. August 7th 1825

North Between Sec. 27 & 28, T16 N. R2 E.

19.90 a Sugar 12 in. dia. in the line

30.00 a stream 5 lks. wide Cr. N. E.

40.00 Set the q. Sec. post, from which
a Sugar 18 in. dia. bray N 36° W 4 1/2 lks. dist. of
a Beech 10 " " " S 45° E 22 " "

42.50 a Spring S. E.

51.42 a Sugar 12 in. dia. in the line

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a Sugar 18 in. dia. bray N 42° W 3 1/2 lks. dist. of
an Elm 20 " " " S 20° E 23 " "
Land 2nd rate Beech, Oak, Sugar, Maple &c.

East On Random between Sec. 22 & 27, T16 N. R2 E.

40.00 Set temp. q. Sec. post

79.93 Intersected the N & S. line 60 lks. N. of post
Land 2nd rate timber as before

West On true line between Sec. 22 & 27, T16 N. R2 E.

39.96 1/2 Set q. Sec. post at average dist. from which
a Buckeye 10 in. dia. bray N 27° E 22 lks. dist. of
a Hickory 6 " " " S 15° E 13 " "

77

T6 N R2 E 2^d Mer. Indiana

79.93 to Section Corner

North Between Sec. 21 & 22, T6 N. R2 E.

5.00 an Ash 20 in. dia. in the line

34.50 a Stream 5 lks. wide Cr. S. E.

40.00 Set the q. Sec. post, from which
a W. Oak 20 in. dia. bray N 72° W 3 lks. dist. of
a B. Oak 4 " " " S 31° E 4 " "

41.50 a Stream 25 lks. wide Cr. S. E.

53.00 Same 25 lks. " " S. W.

64.65 an Elm 30 in. dia. in the line

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 30 in. dia. bray N 84° W 17 lks. dist. of
a Do 14 " " " S 58° E 48 " "
Land 2^d rate, Beech, Oak, &c.

East On Random between Sec. 15 & 22, T6 N. R2 E

23.00 a Stream 25 lks. wide Cr. S.

40.00 Set the temp. q. Sec. post

80.00 Intersected the N & S. line 8 lks. S. of post
Land 2^d rate Beech, Oak, Sugar, Elm &c.

West On true line between Sec. 15 & 22, T6 N. R2 E.

40.00 Set q. Sec. post at average dist. from which
a Beech 8 in. dia. bray N 49° W 2 lks. dist. of
a Do 10 " " " S 52° E 12 " "

80.00 to Sec. 1st Corner

North Between Sec. 15 & 16 T6 N. R2 E.

32.21 a Sugar 14 in. dia. in the line

40.00 Set the q. Sec. post, from which
an Ash 20 in. dia. bray N 13° W 25 lks. dist. of
a B. Walnut 20 " " " S 4° W 25 " "

T16N. R2E. T^r. Mer. Indiana

- 42.50 a Stream 10 lks. wide C. E.
 47.50 a Do 25 " " " S. E.
 52.00 Same 25 " " " S. W.
 76.28 a Hackberry 24 in. dia. in the line
 80.00 Set a post Cor. to Sec. 9 & 10, 15 & 16, from which
 a Beech 14 in. dia. bears N 14 W 22 lks. dist. &
 a Do 14 " " " S 25 W 19 "
 Land T^r rate Beech, Oak &c. Aug. 7th 1820
-

- East On Rand^m. betwⁿ. Sec. 10 & 15, T16N. R2E.
 19.00 a Stream 25 lks. wide C. South
 40.00 Set temp^y. q. Sec. post
 79.80 Intersected the N & S. line 80 lks. S. of post
 Land T^r rate, Beech, Oak, Elm, Sugar &c.
-

- West On true line between Sec. 10 & 15, T16N. R2E.
 39.40 Set q. Sec. post at average dist. from which
 an Elm 18 in. dia. bears N 60 W 9 lks. dist. &
 a Sugar 12 " " " N 80 E 30 " "
 79.80 to Sec. Corner.
-

- North Between Sec. 9 & 10, T16N. R2E.
 30.08 a Beech 14 in. dia. in the line
 32.00 a Stream 25 lks. wide C. S. W.
 38.50 Same 25 " " " S. E.
 40.00 Set the q. Sec. post, from which
 a Cottonwood 12 in. dia. bears N 30 W 23 lks. dist. &
 a Do 6 " " " S 85 W 31 " "
 43.50 Same Stream S. E.
 60.75 an Ash 14 in. dia. in the line
 61.00 Same Stream S. W.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a P. Walnut 10 in. dia. bears N 32 W 4 lks. dist. &

T6 N. R2 E. T. Mer. Indiana

79

a Box elder 10 in. dia. bray S 89° 20' E. dist.
Land 2nd rate Beech, Oak, Hickory &c

East On Random between Sec. 3 & 10

19.00 a Stream 25 lks. wide Cr. South

40.00 Set temp. of. Sec. post

79.90 Intersected the N. & S. line 49 lks. N. of post
Land timber &c. same as on the last mile

West On true line between Sec. 3 & 10, T6 N. R2 E.

39.95 set of. Sec. post at average dist. from which
at Beech 10 in. dia. bray N 31° 15' E. dist. of
a do 6 " " " S 55° E 22 " "

79.90 to Sec. Corner.

North Between Sec. 3 & 4, T6 N. R2 E.

7.00 a B. Walnut 24 in dia. in the line

40.00 Set the of. Sec. post, from which

a Locust 24 in. dia. bray North 16 lks. dist. of

a W. Oak 10 " " " S 88° E 12 " "

78.00 Intersected the N. boundary 9.00 N. of the
1/2 mile post, set a post Cor. to Sec. 3 & 4 from
which a Sugar 14 in. dia. bray N 61° E 5 lks. dist. of
a Cherry 14 " " " S 84° W 28 " "

Land second rate

North Between Sec. 32 & 33, T6 N. R2 E.

22.90 a B. Walnut 18 in dia. in the line

40.00 Set the of. Sec. post, from which

a Beech 12 in. dia. bray N 44° E 22 lks. dist. of

a Sugar 16 " " " S 39° W 30 " "

56.00 an Ash 24 " " in the line

80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which

T6. N. R2 E. 2^d Mer. Indiana

a Beech 18 in. dia. bran N60 E 7 lks. dist. of
 a B. Walnut 18 " " " S6 E 19 " "
 Land 2^d rate Beech, Oak, Ash &c.

East On Random between Sec. 28 & 33

40.00 Set temp. q. Sec. post

79.69 Intersected the N & S. line 50 lks. N. of post
 Land 2^d rate Beech, Oak &c. Aug. 9th 1820

West On true line between Sec. 28 & 33

39.84 1/2 Set q. Sec. post at average dist. from which
 an Elm 48 in. dia. bran S25 N 3 lks. dist. of
 an Ash 30 " " " N47 E 26 " "

79.69 to Sec. Corner.

North & Between Sec. 28 & 29, T6. N. R2 E.

32.50 a Hickory 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Hornbeam 7 in. dia. bran N78 E 6 lks. dist. of

a Sugar 20 " " " S59 N 38 " "

52.20 a Sugar 14 " " in the line

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

an Ash 30 in. dia. bran N40 E 2 lks. dist. of

a Sugar 14 " " " S2 E 24 " "

Land 2^d rate Oak, Beech &c.

East On Random between Sec. 21 & 28

40.00 Set temp. q. Sec. post

79.65 Intersected the N & S. line 28 lks. N. of post

Land 2^d rate Beech, Oak, Elm &c.

West On true line between Sec. 21 & 28

39.87 1/2 Set q. Sec. post at average dist. from which

N. N. R. E. 2^d. Mer. Indiana

an Ironwood 6 mi. dist. by N 47 E 28 lbs. dist. of
a Sugar 10 " " " N 46 W 16 " "
79.65 to Sec. Corner

North Between Sec. 20 & 21, T 16 N. R 2 E.

27.00 a Sugar 14 mi. dist. in the line
40.00 Set the q. Sec. post from which
a Sugar 16 mi. dist. by N 54 W 25 lbs. dist. of
a Buckeye 10 " " " N 12 E 6 " "
73.50 a Hickory 14 " " in the line
80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 18 mi. dist. by N 69 W 20 lbs. dist. of
a Poplar 14 " " " N 86 E 34 " "
Land 2^d rate Beech, Oak &c.

East On Random betw. Sec. 16 & 21, T 16 N. R 2 E

40.00 Set temp. q. Sec. post
79.70 Intersected the N & S. line 67 lbs. N. of post
Land 2^d rate Beech, Oak, Sugar, Hickory &c.

West On true line betw. Sec. 16 & 21, T 16 N. R 2 E.

39.85 Set q. Sec. post at average dist. from which
a Sugar 20 mi. dist. by N 83 E 14 lbs. dist. of
a Beech 18 " " " N 57 W 17 " "
79.70 to Sec. Corner

North Between Sec. 16 & 17, T 16 N. R 2 E

34.16 a Beech 12 mi. dist. in the line
40.00 Set the q. Sec. post, from which
a Hackberry 14 mi. dist. by N 64 E 8 lbs. dist. of
a W. Oak 14 " " " N 60 W 20 " "
52.40 a Beech 14 " " in the line
75.00 a Stream 5 lbs. wide Cr. East

16 N. R 2 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Oak 30 in. diam. bears N 9 W 3 lks. dist. &
a Beech 12 " " " S 10 E 12 " "
Land 2nd rate, Beech, Oak, Hickory &c.

East On Random betwⁿ Sec. 9 & 16, 16 N. R 2 E.
40.00 Set temp^y. q. Sec. post
79.80 Intersected the N & S. line 20 lks. dist. &
Land 3rd rate flat and brushy. Aug. 10th 1820

West On true line between Sec. 9 & 16, 16 N. R 2 E
39.90 Set q. Sec. post at average dist. from which
a Beech 10 in. diam. bears N 19 E 19 lks. dist. &
a Do 18 " " " S 33 E 37 " "
79.80 to Sec. Corner.

North Between Sec. 8 & 9, 16 N. R 2 E
21.45 an Ash 18 in. diam. in the line
40.00 Set the q. Sec. post from which
a Sugar 10 in. diam. bears S 80 W 10 lks. dist. &
an Ash 12 " " " N 67 E 26 "
64.05 a B. Oak 36 " " in the line
80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 14 in. diam. bears N 38 W 18 lks. dist. &
a Do 12 " " " S 22 E 14 " "
Land 2nd rate Beech, Oak, Hickory &c.

East On Random between Sec. 4 & 9, 16 N. R 2 E.
40.00 Set the q. Sec. post temp^y.
79.90 Intersected the N & S. line 15 lks. N. of the post
Land 2nd rate.

West On true line between Sec. 4 & 9, 16 N. R 2 E.

T6 N. R2 E. 2^d. Mer. Indiana

39.95 Let q. Sec. post at average dist. from which
a Beech 10 in. dia. bear S 42° W 14 lks. dist. &
a Do 16 " " " N 12° W 29 " "

79.90 to Sec. Corner.

North Between Secs. 4 & 5, T6 N. R2 E.

11.76 a Hickory 14 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Gum 6 in. dia. bear S 20° E 39 lks. dist. &
a Beech 10 " " " N 43° W 13 " "

77.37 Intersected the st. boundary 900 lks. N. of q. Sec.
post. Let a post Cor. to Secs. 4 & 5, from which
a Sugar 14 in. dia. bear S 76° E 20 lks. dist. &
a Beech 10 " " " N 20° W 5 " "
Land 2^d rate Beech, Oak, Hickory &c.

North Between Secs. 31 & 32, T6 N. R2 E.

14.55 a Beech 10 in. dia. in the line

40.00 Let the q. Sec. post, from which
a Sugar 5 in. dia. bear N 26° W 33 lks. dist. &
a Do 8 " " " S 11° E 46 " "

51.50 a Beech 14 " " in the line

80.00 Let a post Cor. to Secs. 29, 30, 31 & 32, from which
a Lym 14 in. dia. bear N 80° E 4 lks. dist. &
a Hickory 20 " " " S 36° W 13 " "
Land 2^d rate, Oak, Beech, Hickory &c.

East On Rand. betw. Secs. 29 & 32, T6 N. R2 E

40.00 Let temp. q. Sec. post

79.71 Intersected the N & S. line 2 lks. N. of post
Land 2^d rate, Beech, Oak, Ash, Elm, Angora &c

West On true line between Secs. 29 & 32, T6 N. R2 E.

T16 N - R26 E 2^d Mer. Indiana

39.85 Let q^r. Sec. post at average dist. from which
a Sugar 12 in. dia. bear S60°W 6 lks. dist. of
an Elm 4 " " " N41 E 13 " "
79.71 to Sec. Corner.

West Between Sec^s. 30 & 31, T16 N. R26 E
40.00 Let the q^r. Sec. post from which
a Beech 10 in. dia. bear S11°W 26 lks. dist. of
a Sugar 12 " " " N22 E 20 " "
71.30 Intersected the W. boundary 29 lks. N. of post
Let a post Cor. to Sec^s. 30 & 31, from which
an — 7 in. dia. bear S7°W 22 lks. dist. of
a Beech 7 " " " N1°W 28 " "
Land 2^d. rate, Beech, Oak & Hickory. Aug. 11th 1820

North Between Sec^s. 29 & 30, T14 N. R26 E
21.00 a W. Oak 40 in. dia. in the line
40.00 Let the q^r. Sec. post, from which
a Poplar 36 in. dia. bear N37°W 22 lks. dist. of
a W. Oak 2 " " " S86 E 17 " "
52.65 an Ash 24 " " in the line
80.00 Let a post Cor. to Sec^s. 19, 20, 29 & 30, from which
a B. Walnut 12 in. dia. bear S86 E 16 lks. dist. of
a Beech 7 " " " S83°W 26 " "
Land 2^d. rate, Oak, Beech, Hickory &c.

East On Rand^m betwⁿ. Sec^s. 20 & 29, T16 N. R26 E.
40.00 Let temp^y. q^r. Sec. post
79.52 Intersected the N & S. line 20 lks. S. of post.
Land 2^d. rate, Beech, Oak, Sugar, Hickory &c.

West On true line betwⁿ. Sec^s. 20 & 29, T16 N. R26 E.
39.76 Let q^r. Sec. post at average dist. from which

16 N. R 2 E. 2^d. Mer. Indiana

a Hornbeam 4 in. dia. bray N 23 E 9 lks. dist. &
an Ash 4 " " " N 2 E 19 " "
79.52 to Sec. Corner.

West Between Secs. 19 & 30, 16 N. R 2 E.
40.00 At the q. Sec. post, from which
a Beech 7 in. dia. bray N 35 W 22 lks. dist. &
a Sugar 10 " " " S 11 E 24 " "
71.00 Intersected the N. boundary 17 lks. N. of post
At a post Cor. to Secs. 19 & 30, from which
a Sycamore 20 in. dia. bray S 25 W 42 lks. dist. &
a Hickory 14 " " " N 31 E 48 " "
Land 2^d. rate, Beech, Oak, Hickory &c.

North Between Secs. 19 & 20, 16 N. R 2 E.
20.50 a Beech 24 in. dia. in the line
40.00 At the q. Sec. post, from which
a Beech 14 in. dia. bray N 10 E 16 lks. dist. &
a Do 14 " " " S 43 W 7 " "
49.21 a Hickory 24 " " in the line
80.00 At a post Cor. to Secs. 17, 18, 19 & 20, from which
a W. Oak 24 in. dia. bray N 18 E 24 lks. dist. &
a Beech 14 " " " S 34 W 26 " "
Land 2^d. rate, Beech, Oak, Sugar &c.

East On Random between Secs. 17 & 20, 16 N. R 2 E.
40.00 At temp. q. Sec. post
79.50 Intersected the N & S. line 2 lks. S. of post
Land 2^d. rate, timber as on the last line

West On true line between Secs. 17 & 20, 16 N. R 2 E.
39.75 At q. Sec. post at average dist. from which
an Ash 10 in. dia. bray N 78 W 12 lks. dist. &

16th R2E, T. Mer. Indiana

a Hickory 12 m. dia. bear S77E 27 lks. dist.
79.50 to Sec. Corner. August 12th 1820

West Between Secs. 18 & 19, 16th R2E.

40.00 Set the q. Sec. post, from which
a Beech 10 m. dia. bear N15E 7 lks. dist. &
a Do 10 " " " S75W 27 " "

70.65 Intersected the W. boundary 35 lks. N. of post.
Set a post Cor. to Secs. 18 & 19, from which
a Beech 8 m. dia. bear S22W 2 lks. dist. &
a Sugar 12 " " " N5W 25 " "
(description omitted)

North Between Secs. 17 & 18, 16th R2E.

19.55 a Beech 12 m. dia. in the line

40.00 Set the q. Sec. post, from which
an Elm 14 m. dia. bear N74E 15 lks. dist. &
a W. Oak 36 " " " N76W 11 " "

46.55 a W. Oak 24 " " in the line

80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
a Hickory 14 m. dia. bear N85E 25 lks. dist. &
a Beech 12 " " " S79W 40 " "
Land 2^d rate Beech, Oak, Ash &c.

East On Random betw. Secs. 8 & 17, 16th R2E.

40.00 Set temp. q. Sec. post

66.50 a stream 5 lks. wide C. S.

79.55 Intersected the N & S. line 45 lks. S. of post
Land 2^d rate Beech, Oak, Hickory &c

West on true line between Secs. 8 & 17, 16th R2E.

39.77 1/2 Set q. Sec. post, at average dist. from which
a Sugar 12 m. dia. bear N10E 4 lks. dist. &

West R2E, T². Mer. Indiana

87

a Sugar 6 m. dia. bray S35W 11 lks. dist.
79.55 to Sec. Corner.

West Between Sec. 7 & 18, T² R2E
40.00 Let the q. Sec. post, from which
a Sugar 10 m. dia. bray S39W 13 lks. dist.
a Beech 12 " " " N38E 22 " "
70.50 Intersected the W. boundary 60 lks. N. of post
Let a post Cor. to Sec. 7 & 18, from which
a B. Walnut 14 m. dia. bray N21E 17 lks. dist.
a Hickory 6 " " " S46E 29 " "
Land Second rate

North Between Sec. 7 & 8, T² R2E.
28.65 an Ash 14 m. dia. in the line
40.00 Let a post Cor. for q. Sec. from which
an Ash 6 m. dia. bray S20E 11 lks. dist.
a Sugar 6 " " " N40W 11 " "
69.33 a Sugar 12 " " in the line
80.00 Let a post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 18 m. dia. bray S46W 20 lks. dist.
a No 18 " " " N35E 36 " "
Land 2nd rate, Beech, Oak, Hick. & brush.

East On Random between Sec. 5 & 8
40.00 Let temp. q. Sec. post
79.60 Intersected N & S. line 25 lks. N. of post
Land Timber as before

West on true line betw. Sec. 5 & 8, T² R2E.
39.80 Let q. Sec. post, from which
a Beech 8 m. dia. bray N55E 17 lks. dist.
a Sugar 10 " " " S55W 27 " "

T16 N. R2 E. 2^d Mer. Indiana

79.60 to Sec. Corner

West Between Sec. 6 & 7, T16 N. R2 E.
 40.00 Set of Sec. post, from which
 a W. Oak 18 in. dia. bray S86 W14 lks. dist of
 a Beech 9 " " " S79 E22 " "
 70.36 Intersected the W. boundary 12 lks. S. of post
 Set a post Cor. to Sec. 6 & 7, from which
 a Beech 10 in. dia. bray S36 E11 lks. dist of
 a B. Walnut 30 " " " N42 W30 " "
 Land 2^d rate Beech, Oak &c.

North Between Sec. 5 & 6, T16 N. R2 E.
 19.29 a Sugar 12 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a Beech 20 in. dia. bray N48 39 lks. dist of
 a Do 8 " " " N16 E28 " "
 49.10 a B. Oak 24 " " in the line
 77.65 Intersected the N. boundary 9.75 W. of of Sec.
 post. Set a post Cor. to Sec. 5 & 6, from which
 an Ash 7 in. dia. bray S1 E7 lks. dist of
 a Sugar 12 " " " N17 E16 " "
 Land 2^d rate, Beech, Oak, Poplar, Hickory &c
 Aug. 13th 1820. Surveyed by W. B. Laughton, D.S.

I Certify that the foregoing transcript of field notes
 of Township N. 16 N. Range N. 2 E. 2^d Mer. Indiana
 has been Comp. with the original notes, & found to be correct.
 Surveyor General's Office
 Cincinnati, March 31. 1844

W. B. Laughton

Sur. Gen.